Amendments To The Claims

This listing of claims will replace all prior versions of the claims and listing of the claims in the application:

Listing of Claims:

1. **(Currently Amended)** A compound of the following Formula I:



I

wherein

A is hydrogen or hydroxy;

B is selected from optionally substituted carbocyclic aryl and optionally substituted heteroalicyclic having from 3 to 8 ring atoms and at least 1 N, O or S ring atom or a heteroaromatic group having a single ring with 5 or 6 ring atoms and at least one N, O or S ring atom;

U is $(CH_2)_p$ wherein p is selected from 0, 1 and 2;

V and Q are each independently hydrogen, ~~substituted alkyl,~~ optionally substituted alkenyl, optionally substituted alkynyl, and~~C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 heterocycloalkyl C_1-C_6 alkyl, arylalkyl,~~ $-CR^1R^2$-W, wherein R^1 and R^2 are ~~independently selected from H, propyl, pentyl, substituted~~ C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to;

W is selected from hydrogen, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl and heteroaryl; with at least one of V and Q being other than hydrogen; and pharmaceutically acceptable salts thereof.

2. **(Original)** A compound of claim 1 wherein A is hydrogen.

3. **(Previously Presented)** A compound of claim 1 wherein B is optionally substituted carbocyclic aryl.

4. **(Previously Presented)** A compound of claim 1 wherein B is optionally substituted phenyl.

5. **(Currently Amended)** A compound of Formula II:



II

wherein R is C(=O)Z where Z is selected from hydrogen, hydroxy, optionally substituted alkoxy and optionally substituted alkyl; or R is amino or optionally substituted alkylamine;

X is selected from oxygen~~, sulfur, sulfinyl, sulfonyl~~ and carbon;

n is an integer selected from 0, 1, 2, 3, 4 and 5;

U is $(CH_2)_p$ wherein p is selected from 0, 1 and 2;

V and Q are each independently selected from hydrogen, ~~substituted alkyl,~~ optionally substituted alkenyl, optionally substituted alkynyl, ~~C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 heterocycloalkyl C_1-C_6 alkyl, arylalkyl~~ and $-CR^1R^2$-W, wherein R^1 and R^2 are ~~independently selected from H and~~ C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to;

W is selected from hydrogen, ~~propyl, pentyl, substituted~~ C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl and heteroaryl; with at least one of V and Q being other than hydrogen; and pharmaceutically acceptable salts thereof.

6. **(Original)** A compound of claim 5 wherein n is 1 or 2.

7. **(Currently Amended)** A compound of claim 1 having the following Formula III:



III

wherein R is C(=O)Z where Z is selected from hydrogen, hydroxy, optionally substituted alkoxy and optionally substituted alkyl; or R is amino or optionally substituted alkylamine;

U is $(CH_2)_p$ wherein p is selected from 0, 1 and 2;

V and Q are each independently selected from hydrogen, ~~substituted alkyl,~~ optionally substituted alkenyl, optionally substituted alkynyl, ~~C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 heterocycloalkyl C_1-C_6 alkyl, arylalkyl~~ and $-CR^1R^2$-W, wherein R^1 and R^2 are ~~independently selected from H and~~ C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to;

W is selected from hydrogen, ~~propyl, pentyl, substituted~~ C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl and heteroaryl; with at least one of V and Q being other than hydrogen; and pharmaceutically acceptable salts thereof.

8. **(Cancelled).**

9. **(Currently Amended)** A compound according to~~of~~ claims 1, 5, or 7 wherein p is zero.

10. **(Cancelled).**

11. **(Currently Amended)** A compound of claim 5~~1θ~~ wherein n is 1 and R is a *para*-substituent.

12. **(Currently Amended)** A compound of claim 5~~1θ~~ wherein R is -C(O)OH.

13. **(Cancelled).**

14. **(Currently Amended)** A compound of claim 5~~1θ~~ wherein R is -C(O)OH being in a "para" position whereby n is 1; Q is CR^1R^2-W, wherein R^1 and R^2 are ~~independently selected from H and~~ C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to; W is selected from hydrogen, ~~propyl, pentyl, substituted~~ C_1-C_6 alkyl, C_2-C_6 alkenyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl, heteroaryl and aryl C_1-C_6 alkyl; and pharmaceutically acceptable salts thereof.

15. **(Currently Amended)** A compound of claim 5~~1~~0 wherein R is -C(O)OH is in a "para" position; n is 1; Q is CR^1R^2-W, wherein R^1 and R^2 are independently selected from ~~H and~~ C_1-C_6 alkyl; or R^1 and R^2 can form a C_3-C_6 cycloalkyl with the carbon they are attached to; W is selected from hydrogen, ~~propyl, pentyl, substituted~~ C_1-C_6 alkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, and aryl; and pharmaceutically acceptable salts thereof.

16. **(Currently Amended)** A compound of claim 1 that is selected from the group consisting of:

~~4-(2-{(2*R*)-2-[(1*E*,4*S*)-4-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

4-(2-{(2*R*)-2-[(1*E*,4*R*)-4-hydroxy-4-(1-propylcyclobutyl)but-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

4-[2-((2*R*)-2-{(1*E*,4*R*)-4-[1-(cyclopropylmethyl)cyclobutyl]-4-hydroxybut-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-(2-{(2*R*)-2-[(1*E*,4*R*)-4-(1-ethylcyclobutyl)-4-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

4-(2-{(2*R*)-2-[(1*E*,3*S*)-3-hydroxy-4,4-dimethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

~~4-(2-{(2*S*)-2-[(1*E*,4*S*)-4-hydroxy-4-ethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~-(2-{(2*S*)-2-[(1*E*,4*S*)-4-hydroxy-4-ethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzamide;~~

~~4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4-phenoxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-4-(allyloxy)-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R,7S)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid~~

~~4-(2-{(2R)-2-[(1E,3S,7S)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R,7R)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E)-3-hydroxy-5-morpholin-4-ylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhepta-1,6-dienyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-4-cyclopropyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-4-cyclopentyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-4-cyclopentyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-4-cyclopropyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-6-methylhept-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-methylhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5,5-dimethylhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-6-cyclopropyl-3-hydroxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-5-methoxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-methoxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(5R)-2-oxo-5-[(1E,3S)-6,6,6-trifluoro-3-hydroxyhex-1-enyl]pyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-4-cyclohexyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-6-methoxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S,7R)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-4-(4-chlorophenyl)-3-hydroxy-4-methylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

4-[2-((2R)-2-{(1E,3S)-3-[1-(cyclopropylmethyl)cyclobutyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3R)-3-[1-(cyclopropylmethyl)cyclobutyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-(2-{(2S)-2-[(3S)-3-(1-butylcyclobutyl)-3-hydroxypropyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2S)-2-[(3R)-3-(1-butylcyclobutyl)-3-hydroxypropyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-3-(1-phenylcyclopentyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-3-(1-phenylcyclopentyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-[2-((2R)-2-{(1E,3R)-3-[1-(4-chlorophenyl)cyclopropyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3S)-3-[1-(4-chlorophenyl)cyclobutyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid
4-[2-((2R)-2-{(1E,3R)-3-[1-(4-chlorophenyl)cyclobutyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3S)-3-[1-(4-chlorophenyl)cyclopropyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3S)-3-hydroxy-3-[1-(4-methylphenyl)cyclopentyl]prop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3R)-3-hydroxy-3-[1-(4-methylphenyl)cyclopentyl]prop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-4-(4-chlorophenyl)-3-hydroxy-4-methylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-[2-((2R)-2-{(1E,3S)-3-[1-(4-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3R)-3-[1-(4-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3R)-3-[1-(2-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-[2-((2R)-2-{(1E,3S)-3-[1-(2-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-[2-((2R)-2-{(1E,3S)-3-[1-(4-chlorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-[2-((2R)-2-{(1E,3R)-3-[1-(4-chlorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-(3-methylphenyl)but-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhept-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-4-(3-chlorophenyl)-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-phenylbut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2S)-2-[(3R)-3-hydroxy-4-methyl-4-phenylpentyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-methyl-4-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4-methyl-4-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2S)-2-[(3S)-3-hydroxynonyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

4-[2-((2R)-2-{(1E,3S)-3-[1-(3-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-[2-((2R)-2-{(1E,3R)-3-[1-(3-fluorophenyl)cyclopentyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxynon-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

4-[2-((2R)-2-{(1E,3S)-3-hydroxy-3-[1-(2-phenylethyl)cyclobutyl]prop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-[2-((2R)-2-{(1E,3R)-3-hydroxy-3-[1-(2-phenylethyl)cyclobutyl]prop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;

4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-3-(1-propylcyclobutyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid

4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-3-(1-propylcyclobutyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid

4-(2-{(2R)-2-[(1E,3R)-3-(1-benzylcyclobutyl)-3-hydroxyprop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E)-3-hydroxy-3-methyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
~~4-(2-{(2R)-2-[(1E)-4-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-(2-{(2R)-2-[(1E,3S)-3-(1-butylcyclobutyl)-3-hydroxyprop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-3-(1-butylcyclobutyl)-3-hydroxyprop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4,4-dimethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4,4-dimethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-3-(1-phenylcyclopropyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid; and
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-3-(1-phenylcyclopropyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-7-methyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
~~4-(2-{(2R)-2-[(1E,3S)-5-cyclopentyl-3-hydroxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~ and pharmaceutically acceptable salts thereof.

Claim 17. **(Cancelled).**

18. **(Previously Presented)** A method for treating a disease or disorder associated with prostaglandin, comprising administering to a mammal suffering from or susceptible to such a disease or disorder an effective amount of a compound of claim 1.

19. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to asthma.

20. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to hypertension.

21. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to undesired blood clotting.

22. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to infertility or a fertility disorder.

23. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to an eosinophil disorder.

24. **(Original)** A method of claim 18 wherein the mammal is suffering from sexual dysfunction.

25. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to glaucoma or other disorder involving elevated intraocular pressure.

26. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to renal dysfunction.

27. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to an immune deficiency disease or disorder.

28. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to AIDS.

29. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to undesired bone loss.

30. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to preterm labor.

31. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to dysmenorrhea.

32. **(Original)** A method of claim 18 wherein the mammal is a female in late stage pregnancy and in need of control of cervical ripening.

33. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to preelampsia or eclampsia.

34. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to ichthyosis.

35. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to dry eye.

36. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to a sleep disorder.

37. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to gastric ulcers.

38. **(Original)** A method of claim 18 wherein the mammal is suffering or susceptible to undesired muscle contraction.

39. **(Original)** A method of claim 18 wherein the mammal is suffering or susceptible to inflammatory disorders.

40. **(Original)** A method of claim 18 wherein the mammal is suffering from or susceptible to erectile dysfunction.

41. **(Previously Presented)** A method of claim 18 wherein the mammal is a human.

42. **(Previously Presented)** A method of claim 18 wherein the mammal is a female.

43. **(Original)** A method of claim 42 wherein the female is suffering from or susceptible to infertility.

44. **(Original)** A method of claim 42 wherein the female is suffering from an ovulatory disorder.

45. **(Previously Presented)** A method of claim 18 wherein the mammal is a male.

46. **(Previously Presented)** A method for treating a mammal suffering from or susceptible to preterm labor, dysmenorrhea, asthma, hypertension, a fertility disorder, undesired blood clotting, preelampsia, eclampsia, an eosinophil disorder, undesired bone loss, sexual dysfunction, renal dysfunction, an immune deficiency disorder, dry eye, ichthyosis, elevated intraocular pressure, a sleep disorder, or a gastric ulcer, inflammatory disorder, comprising administering to the mammal an effective amount of a compound of claim 1.

Claims 47-48 **(Cancelled)**.

49. **(Previously Presented)** A pharmaceutical composition comprising a pharmaceutically acceptable carrier and one or more compounds of claim 1.

50. **(Previously Presented)** A pharmaceutical composition of claim 49 wherein the compound is packaged together with instructions for use of the compound to treat preterm labor, dysmenorrhea, asthma, hypertension, infertility or a fertility disorder, sexual dysfunction, undesired blood clotting, a destructive bone disease or disorder, preeclampsia or eclampsia, an eosinophil disorder, renal dysfunction an immune deficiency disorder, dry eye, ichthyosis, elevated intraocular pressure, sleep disorder, or gastric ulcer.

51. **(Previously Presented)** A method of treating a fertility condition in a female, comprising the administration to said female a prostaglandin EP4 receptor agonist, or a pharmaceutical acceptable salt of said compound, or a diastereoisomeric mixture of said compound or salt.

52. **(Original)** A method of claim 51 wherein the condition is infertility.

53. **(Original)** A method of claim 51 wherein the condition is an ovulatory disorder.

54. **(Previously Presented)** A method of claim 51 wherein the female is undergoing an ovulation induction or ART treatments.

55. **(Currently Amended)** A method of claim 51 wherein the prostaglandin EP4 receptor agonist is selected among compounds of formula II~~VI~~:



II



~~VI~~

wherein X is selected from oxygen and carbon~~A is H or OH, preferably H~~;

n is an integer selected from 0, 1, 2, 3, 4 and 5~~B is selected from C_1-C_6 alkyl, aryl C_1-C_6 alkyl, aryl C_1-C_6 heteroalkyl, heteroaryl C_1-C_6 alkoxy, aryl, heteroaryl, C_3-C_6 cycloalkyl and C_3-C_6 heterocycloalkyl, provided that when B is aryl, heteroaryl, C_3-C_6 cycloalkyl and C_3-C_6 heterocycloalkyl, the undefined bond linking B is a single bond~~;

~~the dotted line indicates an optional double bond;~~

R is C(=O)Z wherein Z is selected from hydroxy, alkoxy, alkyl and aryl; or Z is selected from amino or alkylamine such as $-NR^4R^5$~~R^1R^2~~ wherein R^4~~R^1~~ and R^5~~R^2~~ are independently selected from hydrogen and alkyl, $-NHSO_2R^3$ and $-NHC(O)R^3$ wherein R^3 is selected among C_1-C_6 alkyl and aryl;~~ or R is heteroaryl;~~

U is $(CH_2)_p$ wherein p is an integer selected from 0, 1 and 2;

Q is–C$\underline{R^1}$$\underline{R^2}$~~R^{4}R^5~~-W, wherein $\underline{R^1}$~~R^4~~ and $\underline{R^2}$~~R^5~~ are ~~independently selected from H, halogen and~~ C_1-C_6 alkyl; or $\underline{R^1}$~~R^4~~ and $\underline{R^2}$~~R^5~~ can form a C_3-C_6 cycloalkyl with the carbon they are attached to;

W is selected from hydrogen, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, ~~C_3-C_6 heterocycloalkyl,~~ C_3-C_6 cycloalkyl C_1-C_6 alkyl, ~~C_3-C_6-heterocycloalkyl C_1-C_6 alkyl~~, aryl, and heteroaryl, with at least one of V and Q being other than hydrogen~~aryl C_1-C_6 alkyl and heteroaryl C_1-C_6 alkyl~~; and pharmaceutically acceptable salts thereof.

56. (**Currently Amended**) A method of claim 55 wherein the prostaglandin EP4 receptor agonist is selected among compounds of formula II~~VI~~, wherein ~~A is H; B is C_1-C_6-alkyl whereby B is linked by a single bond;~~ R is C(=O)Z wherein Z is selected from hydrogen, hydroxy, alkoxy such as –O-alkyl and alkyl; or Z is selected from amino or alkylamine such as –N$\underline{R^4}$$\underline{R^5}$~~R^{1}R^2~~ where $\underline{R^4}$~~R^1~~ and $\underline{R^5}$~~R^2~~ are independently hydrogen or alkyl, -$NHSO_2R^3$ and -$NHC(O)R^3$ wherein R^3 is selected among C_1-C_6 alkyl and aryl; U is $(CH_2)_p$ wherein p is 0; Q is–C$\underline{R^1}$$\underline{R^2}$~~R^{4}R^5~~-W, wherein $\underline{R^1}$~~R^4~~ and $\underline{R^2}$~~R^5~~ are ~~independently selected from H, halogen and~~ C_1-C_6 alkyl; W is selected from C_3-C_6 cycloalkyl, ~~C_3-C_6 heterocycloalkyl, optionally substituted~~ aryl and heteroaryl; and pharmaceutically acceptable salts thereof.

57. (**Currently Amended**) A method of claim 55 wherein the prostaglandin EP4 receptor agonist is selected among compounds of formula II~~VI~~, wherein ~~A is H; B is C_1-C_6-alkyl;~~ R is C(=O)Z wherein Z is selected from hydrogen, hydroxy, alkoxy; ~~or R is heteroaryl;~~ U is $(CH_2)_p$ wherein p is 0; ~~Q is CH_2-W, wherein W is selected from C_3-C_6 cycloalkyl, C_3-C_6-heterocycloalkyl, aryl and heteroaryl;~~ and pharmaceutically acceptable salts thereof.

58. (**Currently Amended**) A method of claim 55 wherein the prostaglandin EP4 receptor agonist is selected among compounds of formula II~~VI~~, wherein ~~A is H; B is selected from aryl C_1-C_6 alkoxy, CH_2-aryl and CH_2-heteroaryl whereby B is linked by a single bond;~~ R is C(=O)Z wherein Z is selected from~~hydrogen,~~ hydroxy and alkoxy; ~~or R is heteroaryl;~~ U is $(CH_2)_p$ wherein p is 0; ~~Q is CH_2-W, wherein W is selected from C_3-C_6-cycloalkyl, C_3-C_6-heterocycloalkyl, aryl and heteroaryl;~~ and pharmaceutically acceptable salts thereof.

59. **(Currently Amended)** A method of claim 55 wherein the prostaglandin EP4 receptor agonist is selected among compounds of formula II~~VI~~ wherein ~~A is H; B is aryl whereby B is linked by a single bond;~~ R is C(=O)Z wherein Z is hydroxy; U is $(CH_2)_p$ wherein p is 0; Q is–C$R^1$$R^2$~~$R^4$$R^5$~~-W, wherein R^1~~R^4~~ and R^2~~R^5~~ are ~~independently selected from H and~~ C_1-C_6 alkyl; or R^1~~R^4~~ and R^2~~R^5~~ can form a C_3-C_6 cycloalkyl with the carbon they are attached to; W is selected from C_1-C_6 alkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 cycloalkyl, ~~aryl~~ and substituted phenyl; and pharmaceutically acceptable salts thereof.

60. **(Currently Amended)** A method of claim 55 wherein the prostaglandin EP4 receptor agonist is selected from the group consisting of:
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-phenylbut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
~~4-(2-{(2R)-2-[(1E,3S)-4-(3-chlorophenyl)-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-3-(1-phenylcyclopropyl)prop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-6-cyclopropyl-3-hydroxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhepta-1,6-dienyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-(2-{(2R)-2-[(1E,3S)-3-(1-butylcyclobutyl)-3-hydroxyprop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-6-methylhept-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
4-[2-((2R)-2-{(1E,3R)-3-[1-(cyclopropylmethyl)cyclobutyl]-3-hydroxyprop-1-enyl}-5-oxopyrrolidin-1-yl)ethyl]benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-3-(1-butylcyclobutyl)-3-hydroxyprop-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid; and
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4,4-dimethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
~~4-(2-{(2R)-2-[(1E,3S)-3-hydroxynon-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~
~~4-(2-{(2S)-2-[(3R)-3-hydroxy-4-(3-methylphenyl)butyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~

~~4-(2-{(2S)-2-[(3R)-3-hydroxy-5-phenylpentyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;~~ and pharmaceutically acceptable salts thereof.

61. **(Previously Presented)** A method for treating a disease or disorder associated with prostaglandin, comprising administering to a mammal suffering from or susceptible to such a disease or disorder an effective amount of a compound of claim 5.

62. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to asthma.

63. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to hypertension.

64. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to undesired blood clotting.

65. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to infertility or a fertility disorder.

66. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to an eosinophil disorder.

67. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from sexual dysfunction.

68. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to glaucoma or other disorder involving elevated intraocular pressure.

69. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to renal dysfunction.

70. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to an immune deficiency disease or disorder.

71. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to AIDS.

72. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to undesired bone loss.

73. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to preterm labor.

74. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to dysmenorrhea.

75. **(Previously Presented)** A method of claim 61 wherein the mammal is a female in late stage pregnancy and in need of control of cervical ripening.

76. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to preelampsia or eclampsia.

77. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to ichthyosis.

78. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to dry eye.

79. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to a sleep disorder.

80. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to gastric ulcers.

81. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering or susceptible to undesired muscle contraction.

82. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering or susceptible to inflammatory disorders.

83. **(Previously Presented)** A method of claim 61 wherein the mammal is suffering from or susceptible to erectile dysfunction.

84. **(Previously Presented)** A method of claim 61 wherein the mammal is a human.

85. **(Previously Presented)** A method of claim 61 wherein the mammal is a female.

86. **(Previously Presented)** A method of claim 85 wherein the female is suffering from or susceptible to infertility.

87. **(Previously Presented)** A method of claim 85 wherein the female is suffering from an ovulatory disorder.

88. **(Previously Presented)** A method of claim 61 wherein the mammal is a male.

89. **(Previously Presented)** A method for treating a mammal suffering from or susceptible to preterm labor, dysmenorrhea, asthma, hypertension, a fertility disorder, undesired blood clotting, preelampsia, eclampsia, an eosinophil disorder, undesired bone loss, sexual dysfunction, renal dysfunction, an immune deficiency disorder, dry eye, ichthyosis, elevated intraocular pressure, a sleep disorder, a gastric ulcer, or an inflammatory disorder, comprising administering to the mammal an effective amount of a compound of claim 5.

90. **(Previously Presented)** A pharmaceutical composition comprising a pharmaceutically acceptable carrier and one or more compounds of claim 5.

91. **(Previously Presented)** A pharmaceutical composition of claim 90 wherein the compound is packaged together with instructions for use of the compound to treat preterm labor, dysmenorrhea, asthma, hypertension, infertility or a fertility disorder, sexual dysfunction, undesired blood clotting, a destructive bone disease or disorder, preeclampsia or eclampsia, an eosinophil disorder, renal dysfunction, an immune

deficiency disorder, dry eye, ichthyosis, elevated intraocular pressure, sleep disorder, or gastric ulcer.

92. (**Currently Amended**) A method for treating a mammal suffering from or susceptible to preterm labor, dysmenorrhea, a fertility disorder, undesired blood clotting, preelampsia, eclampsia, an eosinophil disorder, undesired bone loss, sexual dysfunction, dry eye, ichthyosis, a sleep disorder, or a gastric ulcer, comprising administering to the mammal an effective amount of a compound according to claim 1~~of Formula (I):~~



~~I~~

~~wherein~~

~~A is hydrogen or hydroxy;~~

~~B is selected from optionally substituted carbocyclic aryl and optionally substituted heteroalicyclic having from 3 to 8 ring atoms and at least 1 N, O or S ring atom or a heteroaromatic group having a single ring with 5 or 6 ring atoms and at least one N, O or S ring atom;~~

~~U is $(CH_2)_p$ wherein p is selected from 0, 1 and 2;~~

~~V and Q are each independently hydrogen, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 heterocycloalkyl C_1-C_6 alkyl, arylalkyl, CR^1R^2-W, wherein R^1 and R^2 are independently selected from H and C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to;~~

~~W is selected from hydrogen, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl and heteroaryl; with at least one of V and Q being other than hydrogen; and pharmaceutically acceptable salts thereof~~.

93. (**Currently Amended**) A method for treating a mammal suffering from or susceptible to preterm labor, dysmenorrhea, a fertility disorder, undesired blood clotting, preelampsia, eclampsia, an eosinophil disorder, undesired bone loss, sexual dysfunction,

dry eye, ichthyosis, a sleep disorder, or a gastric ulcer, comprising administering to the mammal an effective amount of a compound according to claim 5~~of Formula (II):~~



~~II~~

~~wherein R is C(=O)Z where Z is selected from hydrogen, hydroxy, optionally substituted alkoxy and optionally substituted alkyl; or R is amino or optionally substituted alkylamine;~~

~~X is selected from oxygen, sulfur, sulfinyl, sulfonyl and carbon;~~

~~n is an integer selected from 0, 1, 2, 3, 4 and 5;~~

~~U is $(CH_2)_p$ wherein p is selected from 0, 1 and 2;~~

~~V and Q are each independently selected from hydrogen, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, C_3-C_6 heterocycloalkyl C_1-C_6 alkyl, arylalkyl and CR^1R^2-W, wherein R^1 and R^2 are independently selected from H and C_1-C_6 alkyl; or R^1 and R^2 can form an C_3-C_6 cycloalkyl with the carbon they are attached to;~~

~~W is selected from hydrogen, propyl, pentyl, substituted C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl C_1-C_6 alkyl, aryl and heteroaryl; with at least one of V and Q being other than hydrogen; and pharmaceutically acceptable salts thereof~~.

94. (**New**) A compound selected from the group consisting of:
4-(2-{(2*R*)-2-[(1*E*,4*S*)-4-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2*S*)-2-[(1*E*,4*S*)-4-hydroxy-4-ethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
-(2-{(2*S*)-2-[(1*E*,4*S*)-4-hydroxy-4-ethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzamide;
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4-phenoxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-4-(allyloxy)-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

4-(2-{(2R)-2-[(1E,3R,7S)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid
4-(2-{(2R)-2-[(1E,3S,7S)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R,7R)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E)-3-hydroxy-5-morpholin-4-ylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhepta-1,6-dienyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-4-cyclopropyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-4-cyclopentyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-4-cyclopentyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-4-cyclopropyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-6-methylhept-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-methylhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5,5-dimethylhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-6-cyclopropyl-3-hydroxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-5-methoxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-methoxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(5R)-2-oxo-5-[(1E,3S)-6,6,6-trifluoro-3-hydroxyhex-1-enyl]pyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-4-cyclohexyl-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

4-(2-{(2R)-2-[(1E,3S)-3-hydroxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-6-methoxyhex-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S,7R)-3,7-dihydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-4-(4-chlorophenyl)-3-hydroxy-4-methylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-4-(4-chlorophenyl)-3-hydroxy-4-methylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-(3-methylphenyl)but-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-5-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxyhept-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-4-(3-chlorophenyl)-3-hydroxybut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-phenylbut-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2S)-2-[(3R)-3-hydroxy-4-methyl-4-phenylpentyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4-methyl-4-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3R)-3-hydroxy-4-methyl-4-phenylpent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2S)-2-[(3S)-3-hydroxynonyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxynon-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E)-3-hydroxy-3-methyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E)-4-hydroxyoct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;
4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-4,4-dimethyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid;

4-(2-{(2R)-2-[(1E,3S)-3-hydroxy-7-methyloct-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid; and
4-(2-{(2R)-2-[(1E,3S)-5-cyclopentyl-3-hydroxypent-1-enyl]-5-oxopyrrolidin-1-yl}ethyl)benzoic acid; and pharmaceutically acceptable salts thereof.